


INDEX MAPS. **T. 16N, R. 4E. 2nd Mer.**

187	6	208	5	202	4	198	3	194	2	190	1	184
	207		207		202		198		194		190	
186	7	207	8	201	9	197	10	194	11	190	12	184
	206		206		201		197		193		189	
186	18	206	17	201	16	197	15	193	14	189	13	184
	205		205		200		196		193		189	
185	19	205	20	200	21	196	22	192	23	189	24	183
	204		204		200		196		192		188	
185	30	204	29	199	28	195	27	191	26	188	25	183
	203		203		199		195		191		188	
185	31	202	32	199	33	195	34	191	35	187	36	183
	182		182		182		181		181		181	

T. 1N, R. 5E. 2nd Mer.

	215-217		215-217		215-216		215-216		215-216		216	
218	6	241	5	235	4	231	3	226	2	222	1	214
	241		241		235		230		226		222	
218	7	240	8	235	9	230	10	226	11	222	12	214
	240		239		234		229		225		221	
218	18	239	17	234	16	229	15	225	14	221	13	213
	239		238		233		229		224		221	
218	19	238	20	233	21	228	22	224	23	220	24	213
	238		237		232		228		224		220	
217	30	237	29	232	28	228	27	223	26	219	25	213
	236		236		232		227		223		219	
217	31	236	32	231	33	227	34	223	35	219	36	212
	211		211		211		211		212		212	

 The figures on the lines refer to the page.

241

Township N. 1 North, Range N. 5 East 2. Mer. Indiana

South Boundary or Base line. July 15. 1806
 East On S. boundary of Sec. 31, T. 1 N. R. 5 E
 40.00 Let the q. Sec. post, from which
 a P. Oak 15 in. dia. - bran S 14 W 10 lks. dist. of
 a Do 4 " " " S 86 E 6 " "
 80.00 Let a post Cor. to Sec. 31 & 32, from which
 a Mulberry 7 in. dia. - bran N 68 E 19 lks. dist. of
 an Elm 8 " " " N 20 E 10 " "
 Very brushy soil, timber Oak & Hickory thick with
 underbrush intermixed with briars

East On S. boundary of Sec. 32, T. 1 N. R. 5 E.
 0.30 a Brook 10 lks. wide Course North
 40.00 Let the q. Sec. post, from which
 a P. Oak 7 in. dia. - bran S 72 W 10 lks. dist. of
 a Do 6 " " " N 89 E 12 1/2 " "
 80.00 Let a post Cor. to Sec. 32 & 33, from which
 a Chest. Oak 10 in. dia. - bran N 83 W 25 lks. dist. of
 a Do 20 " " " N 30 E 26 " "
 Very brushy broken thin Soil Oak timber in places

East On S. boundary of Sec. 33, T. 1 N. R. 5 E.
 40.00 Let the q. Sec. post, from which
 a P. Walnut 6 in. dia. - bran N 33 W 7 lks. dist. of
 a W. Oak 6 " " " N 64 E 15 " "
 62.08 a Beech 20 " "
 80.00 Let a post Cor. to Sec. 33 & 34, from which
 a Sugar tree 10 in. dia. - bran S 72 W 4 3/4 lks. dist. of
 a Poplar 6 " " " N 44 E 36 " "
 Land the same, this post, stands on the East side
 of a creek 50 lks. wide Course South

East On S. boundary of Sec. 34, T. 1 N. R. 5 E
 40.00 Let the q. Sec. post, from which
 a Beech 7 in. dia. - bran N 48 W 13 lks. dist. of
 a Poplar 10 " " " S 74 E 18 " "

T. N. R. 5 E. 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 34 & 35, from which
 a P. Oak 10 in. diam. bearing S 51 E 3 lks. dist. of
 a Dogwood 5 " " " N 8 E 20 " "
 Very hilly Broken thin Soil, timber Oak

East On S. boundary of Sec. 35, T. N. R. 5 E.
 40.00 Set the q. Sec. post, from which
 a Hickory 5 in. diam. bearing N 89 W 35 lks. dist. of
 a W. Oak 4 " " " N 61 E 17 " "
 70.60 a Chestnut 20 " "
 80.00 Set a post Cor. to Sec. 35 & 36, from which
 a Gum 8 in. diam. bearing N 45 W 19 lks. dist. of
 a P. Oak 15 " " " N 56 E 14 " "
 Land the same very hilly, timber Oak

East On S. boundary of Sec. 36, T. N. R. 5 E.
 16.50 a Creek 50 lks. wide Course South
 31.10 a P. Oak 20 in. diam.
 40.00 Set the q. Sec. post, from which
 a P. Oak 8 in. diam. bearing N 10 E 1 lks. dist. of
 a Do 5 " " " S 72 E 22 " "
 80.00 Set a post Cor. to Town 1 N. and 1 South, in Ranges
 5 & 6 East, from which
 a W. Oak 10 in. diam. bearing N 63 E 11 lks. dist. of
 a Beech 5 " " " N 63 W 11 " "
 Hilly bushy Soil, Soil, timber Beech, & Oak
 July 16th. 1806.

East Boundary Aug. 15th. 1806
 North On E. boundary of Sec. 36, T. N. R. 5 E.
 14.65 a Chestnut Oak 12 in. diam.
 28.50 a Yellow Pine 15 " "
 40.00 Set the q. Sec. post, from which
 a Chest. Oak 15 in. diam. bearing N 20 E 7 lks. dist. of
 a Do 8 " " " S 36 W 10 " "
 57.00 a Brook 10 lks. wide Course West

T. N. R 5 E. T. Mer. Indiana

61.00 a Beech 12 in. diam.

80.00 Let a post Cor. to Sec. 25 & 36, from which
a Chest. Oak 15 in. diam. bey S 54 N 13 lks. dist. &
a Do 13 " " " S 87 E 18 " "
Poor high hills, Oak, Chesnut &c.

North On E. boundary of Sec. 25, T. N. R 5 E.

21.50 a Brook 6 lks. wide Course N

32.50 a W. Oak 8 in. diam.

40.00 Let the q. Sec. post, from which
a Chest. Oak 18 in. diam. bey N 81 N 28 lks. dist. &
a Do 12 " " " S 73 E 16 " "

62.30 a Poplar 12 " "

80.00 Let a post Cor. to Sec. 24 & 25, from which
a Hickory 15 in. diam. bey N 10 E 7 lks. dist. &
a Poplar 40 " " " S 57 E 14 " "
High, bushy ridges, timber Oak, Chesnut &c.

North On E. boundary of Sec. 24, T. N. R 5 E.

5.00 a Creek 3 lks. wide Course N. E.

33.50 a W. Oak 18 in. diam.

40.00 Let the q. Sec. post, from which
a W. Oak 12 in. diam. bey N 15 E 20 lks. dist. &
a Do 8 " " " S 38 E 26 " "

62.00 a Creek 20 lks. wide Course N.

66.50 a Beech 18 in. diam.

80.00 Let a post Cor. to Sec. 13 & 24, from which
a Beech 18 in. diam. bey N 11 W 18 lks. dist. &
a Do 8 " " " S 30 E 19 " "
Good land, good water & well timbered with
Oak, Ash, Beech &c.

North On E. boundary of Sec. 13, T. N. R 4 E.

4.00 a Brook 3 lks. wide Course S. W.

19.50 a Beech 20 in. diam.

21.00 a Creek 35 lks. wide Course S. W.

T. N. R. & E. 2^d Mer. Indiana

- 31.50 a Beech 30 in. diam.
 40.00 Set the gr. Sec. post, from which
 a W. Oak 24 in. diam. bears N 61 E 11 lks. dist. of
 a Do 15 " " " S 87 W 30 " "
 54.30 a Poplar 50 " "
 77.00 a Brook 3 lks. wide Course S. E.
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a W. Oak 6 in. diam. bears S 17 W 13 lks. dist. of
 a Do 10 " " " N 29 W 21 " "
 1st 1/2 good level land timber Sugar, Beech, Ches-
 nut &c. - last 1/2 good land timber Oak, Poplar &c.

North On E. boundary of Sec. 12, T. N. R. 5 E

- 23.00 a W. Oak 16 in. diam.
 33.00 a Creek 50 lks. wide Course W.
 40.00 Set the gr. Sec. post, from which
 a Walnut 6 in. diam. bears S 31 E 16 lks. dist. of
 a Do 12 " " " N 19 W 40 " "
 48.80 a Beech 15 " "
 55.00 a Brook 10 lks. wide Course S. W.
 75.00 looped the brook Course S. E.
 78.00 a Brook 10 lks. wide Course S. E.
 80.00 Set a post Cor. to Sec. 11 & 12, from which
 a Lycamore 18 in. diam. bears S 37 W 26 lks. dist. of
 a W. Oak 10 " " " N 19 W 19 " "
 1st 1/2 good Oak land - last 1/2 rich bottom timber
 Beech, Sugar, Elm &c. August 16th 1806

North On E. boundary of Sec. 1, T. N. R. 5 E.

- 14.26 a Beech 14 in. diam.
 40.00 Set the gr. Sec. post, from which
 a Dogwood 6 in. diam. bears N 42 W 18 lks. dist. of
 a Beech 8 " " " S 7 E 23 " "
 61.00 a Beech 24 " "
 74.25 a W. Oak 18 " "
 80.00 Set a post Cor. to Township N. 1 & 2 North

T2N R5E 2^d Mer. Indiana

Range N^o 5 & 6 East, from which
 a Beech 16 mi. diam. bay N 51 E 11 lks. dist. &
 a Do 15 " " " S 20 W 41 " "
 1st 1/2 good level land, timber Oak, Beech, Sugar &c.
 last 1/2 1st rate land, timber Sugar, Beech, Poplar &c.
 Surveyed by Alexander Holmes, Deputy Surveyor

North Boundary

East On Rand^m S. boundary of Sec. 31, T2N. R5E.

40.00 At temp^y. of Sec. post

80.00 At temp^y. Sec. post. Good farming land
 timber Beech, Oak, Walnut & Poplar, undgth Spruce
 and Dogwood.

East On Rand^m S. boundary of Sec. 32, T2N. R5E.

40.00 At temp^y. of Sec. post

66.60 at Brook 10 lks. wide Course N.

80.00 At temp^y. Sec. post. Land very brushy

East On Rand^m S. boundary of Sec. 33, T2N. R5E.

40.00 At temp^y. of Sec. post

56.50 at Brook 5 lks. wide Course South

64.00 a Do 10 lks. " " South

80.00 At temp^y. of Sec. post. Land very brushy

East On Rand^m S. boundary of Sec. 34, T2N. R5E.

9.00 a Brook 10 lks. wide Course South

40.00 At temp^y. of Sec. post

51.25 a Brook 10 lks. wide Course South

68.50 a Do 10 lks. " " South

80.00 At temp^y. Sec. post. Land &c. same

East On Rand^m S. boundary of Sec. 35, T2N. R5E.

31.50 a Brook 10 lks. wide Course S.

40.00 At temp^y. of Sec. post

64.50 a Brook 20 lks. wide Course S.

T²N. R5E. T²Mer. Indiana

78.50 a Brook 10 lks. wide Course South

80.00 Let temp^y. Sec. post

Sand timber &c. Same as on the last mile

East On Rand^m. S. boundary of Sec. 36, T²N. R5E.40.00 Let temp^y. q^r. Sec. post73.26 Intersected the N^h S. line 180 lks. N. of Town
Corner. Sand timber &c. Same as on the last mileAugust 25th 1806West On true line S. boundary of Sec. 36, T²N. R5E.40.00 Let the q^r. Sec. post on true line, from which
a Dogwood 6 in. dia. bear N 54^W 17 lks. dist. of
a Poplar 10 " " " S 54^E 17 " "80.00 Let a post cor. to Sec^s. 35 & 36, T²N. R5E, from which
a Beech 24 in. dia. bear N 75^W 17 lks. dist. of
a W. Oak 10 " " " S 70^E 20 " "West On true line S. boundary of Sec. 35, T²N. R5E.40.00 Let the q^r. Sec. post on true line, from which
a Dogwood 5 in. dia. bear S 86^W 4 lks. dist. of
a W. Oak 10 " " " N 86^E 16 " "80.00 Let a post cor. to Sec^s. 34 & 35, T²N. R5E, from which
a W. Oak 15 in. dia. bear S 32^E 12 lks. dist. of
a Hickory 10 " " " N 28^E 13 " "West On true line S. boundary of Sec. 34, T²N. R5E.40.00 Let the q^r. Sec. post on true line, from which
a Chestnut 30 in. dia. bear S 10^E 16 lks. dist. of
a Poplar 30 " " " N 8^W 26 " "80.00 Let a post cor. to Sec^s. 33 & 34, T²N. R5E, from which
a Poplar 5 in. dia. bear S 74^E 8 lks. dist. of
a W. Oak 6 " " " N 53^W 7 " "West On true line S. boundary of Sec. 33, T²N. R5E.40.00 Let the q^r. Sec. post on true line, from whichComp^d

T.N. R5 E. 2^d Mer. Indiana

217

a Chestnut 30 in. diam. bear S28 E 22 lks. dist. &
 a Hickory 10 " " " N37 W 17 " "
 80.00 Let a post Cor. to Sec. 32 & 33, T2 N. R5 E, from which
 a Dogwood 5 in. diam. bear S28 E 15 lks. dist. &
 a P. Oak — " " " N59 E 18 " "

West On true line S. boundary of Sec. 32, T2 N. R5 E.
 40.00 Let the q. Sec. post on true line, from which
 a Hickory 10 in. diam. bear S15 E 22 lks. dist. &
 a Poplar 15 " " " N45 W — " "
 80.00 Let a post Cor. to Sec. 31 & 32, T2 N. R5 E, from which
 a B. Walnut 5 in. diam. bear S46 W 5 lks. dist. &
 a Beech 15 " " " N34 E 34 1/2 " "

West On true line S. boundary of Sec. 31, T2 N. R5 E.
 40.00 Let the q. Sec. post on true line, from which
 a W. Ash 15 in. diam. bear N45 W 22 lks. dist. &
 a Beech 10 " " " N26 E 18 " "
 73.26 to the Township Corner

West Boundary

North On E. boundary of Sec. 36, T1 N. R4 E.
 40.00 Let the q. Sec. post, from which
 a Poplar 20 in. diam. bear S20 E 7 lks. dist. &
 a Do 10 " " " S45 W 12 " "
 71.00 a Brook 10 lks. wide Course West
 80.00 Let a post Cor. to Sec. 25 & 36, T1 N. R4 E, from which
 a W. Oak 10 in. diam. bear S5 W 2 lks. dist. &
 a Do 15 " " " N51 1/2 E 32 " "
 Middling farming land Oak & Hickory timber. Soil

North On E. boundary of Sec. 25, T1 N. R4 E
 40.00 Let the q. Sec. post, from which
 a W. Oak 12 in. diam. bear S9 W 9 lks. dist. &
 a P. Oak 12 " " " S76 W 27 " "
 73.00 a Creek 100 lks. wide Course S. W.

T. N. R 5 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 24 & 25, T. N. R 4 E, from which
 a Beech 10 in. diam. bran N 45 E 27 lks. dist. of
 a Maple 10 " " " N 5 E " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, T. N. R 4 E.

40.00 Set the q. Sec. post, from which
 a Beech 8 in. diam. bran N 45 E 32 lks. dist. of
 a Do 8 " " " N 65 W 32 " "

52.00 a Brook 20 lks. wide Course West

80.00 Set a post Cor. to Sec. 13 & 24, T. N. R 4 E, from which
 a Poplar 6 in. diam. bran N 60 E 4 lks. dist. of
 a Sassafras 4 " " " West 4 " "
 Midding Soil but brushy.

North On E. boundary of Sec. 13, T. N. R 4 E.

40.00 Set the q. Sec. post, from which
 a Beech 15 in. diam. bran N 78 E 20 lks. dist. of
 a Do 24 " " " N 89 W 38 " "

80.00 Set a post Cor. to Sec. 12 & 13, T. N. R 4 E, from which
 a Dogwood 4 in. diam. bran N 60 W 13 lks. dist. of
 a Do 4 " " " N 60 E 8 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12, T. N. R 4 E.

40.00 Set the q. Sec. post, from which
 a Beech 12 in. diam. bran S 53 W 19 lks. dist.
 a Poplar 5 " " " N 55 W 22 " "

80.00 Set a post Cor. to Sec. 11 & 12, T. N. R 4 E, from which
 a Hickory 20 in. diam. bran N 62 E 19 lks. dist. of
 a Gum 20 " " " N 1 E 25 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T. N. R 4 E.

25.50 a Brook 8 lks. wide Course West

40.00 Set the q. Sec. post, from which

a Dogwood 6 in. diam. bray N 86° W 20 lks. dist. of
 a Beech 29 " " " N 60° E 20 " "
 51.00 a Brook 20 lks. wide Course West
 80.00 Set a post Cor. to Township, N. 1 of 2 N. Ranges
 N. 4 of 5 East, from which
 a W. Oak 7 in. diam. bray N 39° E 14 lks. dist. of
 a B. Oak 5 " " " N 8° E 21 " "
 Sand timber &c. same. Aug. 24th. 1806
 The N, S & W. boundaries surveyed
 By Arthur Hennie, Dep. Sur. Comy

Subdivision. Oct. 6th. 1806
 North Between Sec. 35 & 36, T1N-R5E
 15.87 a Chestnut Oak 16 in. diam.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. diam. bray N 13° E 12 lks. dist. of
 an Iron - " " " West 50 " " on
 a steep hill side
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Sugar 20 in. diam. bray N 64° W 49 lks. dist. of
 a Beech 14 " " " N 72° E 32 " "
 Land on this mile exceedingly steep hills, poor
 and brushy, scarcely passable

East On Land between 25 & 36, T1N-R5E.
 40.00 Set temp. q. Sec. post
 79.00 Intersected the E. boundary 35 lks. South of post
 Land on this mile much as that of the last mile

West Corrected between Sec. 25 & 36, T1N-R5E.
 39.50 Set q. Sec. post at average dist. from which
 a Hickory 4 in. diam. is the corner tree on the top
 of the knob.
 79.00 to Sec. Corner.

North Between Sec. 25 & 26, T1N-R5E.

N. N. R 5 E. 2^d Mer. Indiana

- 1.00 a run 25 lks. wide Course S. W. dry
 5.50 a do 15 " " " S. E.
 22.00 Cross a run several times
 22.55 a chestnut 18 in. dia.
 40.00 a W. Oak 12 in. dia. q. Corner on hill side
 54.83 a Chest. Oak 12 in. dia.
 72.06 a Beech 18 " "
 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which
 a Gum 14 in. dia. bears N 49 E 21 lks. dist. &
 a Poplar 16 " " " S 45 E 53 " "
 Land hilly, timber Oak, Poplar & Beech

- East On R 5th between Secs. 24 & 25, N. N. R 5 E.
 23.50 a Branch 3 lks. wide Course S.
 40.00 Set temp. q. Sec. post
 78.30 Intersected the E. boundary 120 lks. S. of post
 Bridges, 1 B & W. Oak & Poplar good for the plow

- West Corrected between Secs. 24 & 25, N. N. R 5 E.
 39.15 Set q. Sec. post at average dist. from which
 a Hickory 20 in. dia. bears S 41 E 31 lks. dist. &
 a B. Oak 7 " " " S 51 W 11 " "
 78.30 to Sec. Corner

- North Between Secs. 23 & 24, N. N. R 5 E.
 25.50 a Chest. Oak, 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a Gum 15 in. dia. bears N 89 W 23 lks. dist. &
 a Beech 10 " " " S 32 E 29 " "
 65.25 a W. Oak 30. " "
 77.50 a Branch 6 lks. wide Course N. 10 E.
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Sugar 12 in. dia. bears S 41 E 20 lks. dist. &
 a do 10 " " " N 89 W 6 " "
 Bridges Oak Beech & Poplar

S1 N - R5 E. 2^d. Mer. Indiana

East On Random between Sec. 13 & 24, S1 N. R5 E.
 25. 50 a Branch 30 lks. wide Course N.
 40. 00 Set temp^y. qf. Sec. post
 56. 00 a Branch 25 lks. wide Course S. 50 W.
 77. 00 Intersected the E. boundary 1.96 lks. N. of post
 The last 5 Chs. Bottom Beech poplar & Oak

West Corrected between Sec. 13 & 24, S1 N. R5 E.
 38. 50 Set qf. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 72 1/2 W 20 lks. dist. &
 a Poplar 14 " " " S 35 W 25 " "
 77. 00 to Section Corner

North Between Sec. 13 & 14, S1 N. R5 E.
 15. 00 bottom to the 1/2 mile post
 24. 25 a Creek 100 lks. wide Course —
 40. 00 Set the qf. Sec. post, from which
 a Sugar 14 in. dia. bears S 47 W 6 lks. dist. &
 a Do 12 " " " N 28 E 7 " "
 58. 50 a W. Oak 27 " "
 80. 00 Set a post Cor. To Sec. 11, 12, 13 & 14, from which
 a Beech 18 in. dia. bears S 48 W 5 lks. dist. &
 a Do 12 " " " N 13 E 36 " "
 Oak, Beech & Poplar Sugar &c.

East On Random between Sec. 12 & 13, S1 N. R5 E.
 7. 00 a Branch 6 lks. wide Course South
 33. 25 a Do 12 " " " South
 39. 75 a " 70 " " " S. 50 W.
 40. 00 Set temp^y. qf. Sec. post
 48. 00 hills to the Sec. cor.
 77. 00 Intersected the E. boundary 2.25 lks. N. of post
 In the Bottom Beech & Poplar on the Bridges
 Oak & Poplar

West Corrected between Sec. 12 & 13, S1 N. R5 E.

S. N. R 5 E. 2^d Mer. Indiana

38.50 Set g. Sec. post, at average dist. from which
 an Elm 10 in. dia. bears N 14^W 31^W dist. 4
 a Hickory 7 " " " N 35^W 30 " "
 77.00 To Section Corner

North Between Sec. 11 & 12, S 1 N. R 5 E.

40.00 Set the g. Sec. post, from which
 a Gum 18 in. dia. bears S 71^W 16^W dist. 4
 a Do 22 " " " S 45^E 19 " "
 58.25 a W. Oak 18 " "
 80.00 Set a post Corner To Sec. 1, 2, 11 & 12, from which
 a Beech 12 in. dia. bears S 16^E 14^W dist. 4
 a Do 10 " " " — 21^W 5 " "
 Bottom & Uplands Beech & Poplar Oak &c.

East On Random between Sec. 1 & 12, S 1 N. R 5 E.

5.50 a Branch 6^W wide Course S.
 27.00 a Do 6 " " " S.
 40.00 Set temp. g. Sec. post
 45.50 a Branch 6^W wide Course S.
 73.00 a Do 12 " " " S.
 76.00 Intersected the E. boundary 3.06^W N. of post
 Level Upland Beech, Oak, & Poplar

West Corrected between Sec. 1 & 12, S 1 N. R 5 E.

38.00 Set g. Sec. post, at average dist. from which
 a Gum 12 in. dia. bears N 59^E 11^W dist. 4
 a Beech 20 " " " N 32^W 23 " "
 76.00 To Section Corner. January 5th 1807.

North Between Sec. 14 & 2, S 1 N. R 5 E.

15.00 a Branch 6^W wide Course S. 30^W.
 19.00 a Poplar 24 in. dia.
 40.00 Set the g. Sec. post, from which
 a Maple 8 in. dia. bears N 63^W 5^W dist. 4
 a Beech 12 " " " S 23^E 7 " "

S 1 N R 5 E. 2^d Mer. Indiana

223

40. 40 a Branch 6 lks. wide Course E.
 71. 25 a Poplar 36 in. dia.
 76. 38 Intersected the N. boundary 3.38 lks. E. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a Beech 10 in. dia. bears N 68 E 23 lks. dist. &
 a Do 13 " " " S 23 E 13 " "
 Bridger, Oak, Poplar & Beech -
-

- North Between Sec. 34 & 35, S 1 N R 5 E.
 40. 00 Set the q. Sec. post, from which
 a Hickory 13 in. dia. bears S 35 E 58 lks. dist. &
 a Sugar 16 " " " N 79 W 16 " "
 50. 48 a Walnut 20 " "
 54. 00 a Branch 20 lks. wide Course W.
 80. 00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Oak 16 in. dia. bears N 77 W 50 lks. dist. &
 a Do 15 " " " S 4 E 38 " "
 Over High Knobs, Oak, & Hickory -
-

- East On Random between Sec. 26 & 35, S 1 N R 5 E.
 5. 00 a Branch 10 lks. wide Course S.
 21. 12 a Do 14 " " " S.
 40. 00 Set temp^y. q. Sec. post
 66. 00 a Branch 20 lks. wide Course S.
 75. 50 Intersected the N. & S. line 1.12 lks. S. of post
 High knobs Oak, Walnut & Hickory -
-

- West Corrected between Sec. 26 & 35, S 1 N R 5 E.
 37. 75 Set q. Sec. post at average dist. from which
 a W. Oak 9 in. dia. bears S 39 E 13 lks. dist. &
 a Do 9 " " " N 78 W 13 " "
 75. 50 to Section Corner. January 3^d 1807.
-

- North Between Sec. 26 & 27, S 1 N R 5 E.
 26. 50 a Grain 30 lks. wide S 30 W
 40. 00 Set the q. Sec. post, from which

S. N. R 5 E. 2^d. Mer. Indiana

- a Chest. Oak 13 in. dia. bears N 44 W 7 ch. dist. &
 a Poplar 26 " " " N 60 E 34 " "
 49. 12 a B. Oak 24 " "
 61. 50 a Branch 3 ch. wide Course W.
 80. 00 Set a post Cor. to Sec. 22, 23, 26 & 27. from which
 a B. Oak 21 in. dia. bears S 36 E 28, ch. dist. &
 a W. Oak 20 " " " S 25 W 23 " "
 Hilby, Oak, Poplar & Hickory -

- East On Prandons between Sec. 23 & 26, S 1 N R 5 E.
 40. 00 Attempting of Sec. post -
 46. 00 a Branch 3 ch. wide Course N.
 55. 00 a Do 4 " " " N.
 75. 00 Intersected the N. & S. line 50 ch. S. of post
 Bridgy, Oak Poplar & Beech

- West Corrected between Sec. 23 & 26, S 1 N R 5 E.
 37. 50 Set of Sec. post at average dist. from which
 an R. Oak 14 in. dia. bears S 20 W 11 ch. dist. &
 a Gum. 18 " " " S 87 E 22 " "
 75. 00 To Section Corner

- North Between Sec. 22 & 23 & 22, S 1 N R 5 E.
 11. 25 a B. Oak 22 in. dia.
 22. 50 a Branch 6 ch. wide Course W.
 40. 00 Set the of Sec. post, from which
 a W. Oak 18 in. dia. bears N 40 E 34 ch. dist. &
 a R. Oak 14 " " " S 85 W 24 " "
 80. 00 Set the post Cor. to Sec. 14, 15, 22 & 23. from which
 a Beech 12 in. dia. bears S 5 E 24 ch. dist. &
 a Do 10 " " " N 5 W 54 " "
 Bridges Oak Beech & Poplar

- East On Prandons between Sec. 14 & 23, S 1 N R 5 E.
 17. 00 a Branch 6 ch. wide Course N.
 33. 88 a Do 12 " " " N.

T. N. R 5 E. 2^d. Mer. Indiana

225

40. 00 Set temp^y. of Sec. post
 43. 00 a Branch 3 lks. wide course S.
 77. 00 Intersected the N. & S. line 48 lks. S. of post
 Bridges & Brush unfit for Cultivation Oak Beech
 & Poplar—

West Corrected between Secs. 14 & 23, S 1 N 14 5 E.
 38. 50 Set of Sec. post at average dist. from which
 a Chest. Oak 24 in. dia. bears N 35. E 24 lks. dist. &
 a W. Oak 6 " " " N 17 W 25 " "
 77. 00 to Section Corner

North Between Secs. 14 & 15, S 1 N 14 5 E.
 19. 20 to Mutton fork of Blue river 75 lks. wide Course S. W.
 34. 48 a Elm 30 in. dia.
 40. 00 Set the of Sec. post, from which
 a Beech 12 in. dia. bears S 9. E 18 lks. dist. &
 a do 10 " " " N 5 W 15 " "
 62. 95 a Poplar 36 " "
 65. 50 a Run 8 lks. wide Course S. W.
 70. 00 a do 8 " " " S. E.
 72. 60 a do 8 " " " S. W.
 77. 75 a do " " " S. E.
 80. 00 Set a post Cor. to Secs. 10, 11, 14 & 15, from which
 a Beech 10 in. dia. bears S 51 E 20 lks. dist. &
 a Poplar 36 " " " N 32 W 22 " "
 Land Brushy rich Soil timber Poplar Beech
 undergrowth Spice, Beech, &c.

West On Random between Secs. 11 & 14, S 1 N R 5 E.
 40. 00 Set temp^y. of Sec. post
 40. 38 a Branch 6 lks. wide Course S.
 75. 11 Intersected the N. & S. line 1.20 lks. N. of post
 Bottom & upland Beech Oak & Poplar—

East Corrected between Secs. 11 & 14, S 1 N. R 5 E.

S1 N. R5 E. 2^d. Mer. Indiana

37.55 Set of Sec. post at average dist. from which
 a Chest. Oak 24 in. dia. bears S65W 31 ch. dist. &
 a Beech 6 " " " S5E 4 " "

75.11 To Section Corner

North Between Sec. 10 & 11, S1 N. R5 E.

10.60 a Run 8 lks. wide Course S. W.

5.00 a do " " "

70.00 a do " " " S. E.

22.87 a B. Oak 20 in. dia.

27.50 a Run 7 lks. wide Course S. W.

40.00 a Chest. 10 in. dia. for Cor. tree

51.67 a B. Oak 12 in. "

80.00 Set a post Cor. to Sec. 2, 3, 10, 11, from which
 a Poplar 7 in. dia. bears N37W 71 ch. dist. &
 a do 7 " " " S22E 21 " "

Land thin ridges very bushy Small Oak. Poplar
 Gum briars grapes vines &c.

East On Random between Sec. 2 & 11, S1 N. R5 E.

33.88 a Branch 6 lks. wide Course S.

40.00 Set temp. of Sec. post

51.88 a Branch 5 lks. wide Course S.

75.88 Intersected the N. & S. line 1.80 lks. S. of post
 low brushy bridges. Oak Beech Poplar & Hickory

West Corrected between Sec. 2 & 11, S1 N. R5 E.

37.94 Set of Sec. post at average dist. from which
 a R. Oak 8 in. dia. bears S49E 7 lks. dist. &
 a do 7 " " " N61W 16 " "

75.88 To Section Corner

North Between Sec. 2 & 3, S1 N. R5 E.

5.38 a Branch 7 lks. wide Course W.

15.70 a Poplar 22 in. dia.

28.00 To Bottom 14 ch. wide

T1N R5 E. 2. Mer. Indiana

227

31. 50 a Branch 25 lks. wide Course W.
 40. 00 Set the q. Sec. post, from which
 a Poplar 22 in. dia. bears S 49 E 34 lks. dist. &
 a W. Oak 7 " " " S 84 E 20 " "
 60. 70 a Chusnut 22 " "
 79. 50 Intersected the N. boundary 7.16 lks. E. of post
 Set a post Cor. to Secs. 27 & 31, from which
 a Poplar 35 in. dia. bears S 31 W 58 lks. dist. &
 a W. Oak 7 " " " N 59 W 6 " "
 Land and timber as on the last Mile

- North Between Secs. 33 & 34, T1N R5 E.
 10. 00 a Run 25 lks. wide Course S. W.
 20. 72 a Beech 15 in. dia.
 40. 00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bears N 70 W 19 lks. dist. &
 a Do 18 " " " S 62 E 15 " "
 80. 00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
 a B. Oak 6 in. dia. bears N 13 W 4 lks. dist. &
 a Do 5 " " " S 48 E 27 " "
 Land Hilly and brushy steep knobs W & B. Oak, &c.

- West On Random between Secs. 27 & 34, T1N R5 E.
 7. 75 a Branch 6 lks. wide Course S.
 22. 00 a Do 10 " " " S.
 40. 00 Set temp. q. Sec. post
 50. 00 a Branch 6 lks. wide Course S.
 77. 83 Intersected the N. & S. line 20 lks. N. of the post
 High knobs Oak Hickory Brushy-

- East Corrected between Secs. 27 & 34, T1N R5 E.
 38. 09 1/2 Set q. Sec. post at average dist. from which
 a Gum 14 in. dia. bears S 36 E 10 lks. dist. &
 a B. Oak 9 " " " N 11 W 13 " "
 77. 83 to Section Corner

S. N. R 5 E. 2^d Mer. Indiana

North Between Secs. 27 & 28, S. 1. N. R 5 E.

18.75 a Run 15 ch. wide Course S. E.

21.65 a Gum 15 in. dia.

40.00 Set the q. Sec. post, from which
a W. Oak 6 in. dia. bears N 74 W 9 ch. dist. 4
a Do 5 " " " S 11 E 7 " "

69.00 a Gum 15 " "

80.00 Chestnut for Corner tree 30 in dia. ^{Conto Secs. 21, 22, 27 & 28} Land poor
Hilly and extremely broken scarcely passible
timber Oak Chestnut

West On Prandon between Secs. 22 & 27, S. 1. N. R 5 E.

40.00 Set temp. q. Sec. post

73.00 a Drain Course N.

77.00 Intersected the N. & S. line 1.50 ch. N. of post
Brushy Bridges Oak Hickory Woodwood, & Brushy

East Corrected between Secs. 23 & 27, S. 1. N. R 5 E.

33.50 Set q. Sec. post at average dist, from which
a Chest. Oak 16 in. dia. bears N 57 W 23 ch. dist. 4
a Do 18 " " " S 39 E 26 " "

77.00 to Section Corner

North Between Secs. 21 & 22, S. 1. N. R 5 E.

20.00 a Run 6 ch. wide Course N. 1 E.

20.59 a Beech 18 in. dia.

23.00 a Run 20 ch. wide Course N. W.

40.00 Set the q. Sec. post, from which
a W. Oak 14 in. dia. bears S 60 W 5 ch. dist. 4
a Do 11 " " " N 88 E 51 " "

60.39 a Poplar 30 " "

67.50 to Blue river 1.00 ch. wide Cours S. W.

71.50 a Do 1.00 " " " S. E.

80.00 Set post in Bottoms Conto Secs. 15, 16, 21 & 22, from which
a B Eye 10 in dia. bears S 50 W 10 ch. dist. 4
Do 14 " " " N 7 W 17 " "

S. N. R 5 E. 2nd Mer. Indiana

Land of this mile good Soil ridgy & very brushy
 Scarce any timber—

comp

West On Random between Sec. 15 & 22, S. 1 N. R 5 E
 36. 50 a Branch 4 lks. wide Course N.
 40. 00 Set temp. y. of Sec. post
 64. 00 to Bottom
 77. 62 Intersected the N. & S. line 20 lks. N. of post
 Hilly Beech, Oak, & Poplar—

East Corrected between Sec. 15 & 22, S. 1 N. R 5 E
 38. 81 Set of Sec. post at average dist. from which
 a Beech 14 in. dia. bears S 88 E 15 lks. dist. &
 a Do 10 " " " S 57 W 25 " "
 77. 62 to Section Corner

North Between Sec. 15 & 16, S. 1 N. R 5 E
 1. 50 to Blue river 1.00 lks. wide Course S. W.
 22. 76 a W. Oak 28 in. dia.
 36. 50 to run 15 lks. wide Course dry S. E.
 40. 00 Set a post in Bottom where
 a Beech 11 in. dia. bears N 5 E 23 lks. dist. &
 a Do 20 " " " S 18 W 18 " "
 53. 85 a Beech 16 " "
 80. 00 Set a post Cor. to Sec. 9, 10, 15 & 16, on a ridge from which
 a Hickory 28 in. dia. bears N 85 W 33 lks. dist. &
 a B. Oak 8 " " " N 85 E 6 " "
 Sand rich

West On Random between Sec. 10 & 15, S. 1 N. R 5 E—
 .90 a Run 8 lks. wide Course S. E.
 27. 20 a Do 6 " " " S. E.
 40. 00 Set temp. y. of Sec. post
 43. 20 a Bran 4 lks. wide Course S. E.
 50. 50 all rain 4 " " " W.
 53. 50 a Do 2 " " " S. W.

T. 1 N. R. 5 E. D. 1 Mer. Indiana

66. 20 To Run 30 lks. wide Course S.
 77. 50 Intersected the N. & S. line 45 lks. N. of post
 Sand Brushy wet Soil Beech Hickory ash
 & Matted with Briers & Vines -

- East Corrected between Secs. 10 & 15, T. 1 N. R. 5 E.
 38. 75 Set q. Sec. post at average dist. from which
 a W. Oak 10 in. dia. bears N 59 E 22 lks. dist. &
 a Do 11 " " " N 80 W 9 " "
 77. 50 To Section Corner

- North Between Secs. 9 & 10, T. 1 N. R. 5 E.
 14. 31 a W. Oak 16 in. dia.
 40. 00 Set the q. Sec. post. from which
 a Walnut 6 in. dia. bears N 46 E 50 lks. dist. &
 a B. Oak 6 " " " S 52 W 16 " "
 57. 00 a Run dry 15 lks. wide Course S. E.
 61. 87 a Chestnut 20 in. dia.
 80. 00 Set a post Cor. to Secs. 3, 4, 9, & 10, from which
 a Sugar 12 in. dia. bears S 39 W 20 lks. dist. &
 a Beech 40 " " " N 15 E 32 " "
 Land rich Soil Rolling & Poplar Oak Beech
 &c. Brushy -

- West On Random between Secs. 3 & 10, T. 1 N. R. 5 E.
 2. 00 a Branch 6 lks. wide Course S.
 40. 00 Set temp. q. Sec. post
 60. 38 Bottom to the post
 67. 00 a Branch 25 lks. wide Course S.
 78. 00 Intersected the N. & S. line 25 lks. N. of post
 low. Brushy Bridget Oak, Poplar, Beech Sugar
 Hickory. Jan'y. 6th. 1907.

- East Corrected between Secs. 3 & 10, T. 1 N. R. 5 E.
 39. 00 Set q. Sec. post at average dist. from which
 a B. Oak, 7 in. dia. bears N 6 E 4 lks. dist. &

T1N R5E. 2^d. Mer. Indiana

a B. Oak 8 in. dia. bears S 84 E 20 lks. dist.
78.00 to Section Corner

- North Between Sec. 3 & 4, T1N R5E.
 1.00 a run 15 lks. wide Course S.E.
 23.71 a P. Oak 16 in. dia.
 40.00 Let the q. Sec. post, from which
 a Chestnut 12 in. dia. bears S 23 E 16 lks. dist. of
 an Ash 8 " " " N 60 W 20 " "
 45.77 a run 15 lks. wide Course S.E.
 61.77 an Aspen 10 in. dia.
 75.53 a Poplar 30 " "
 78.08 Intersected the N. boundary 877 lks. E. of post
 Let a post Cor. to Sec. 3 & 4, from which
 a Gum 16 in. dia. bears S 44 E 30 lks. dist. of
 a Chestnut 16 " " " S 45 W 67 " "
 Land as on last mile L. Oak & Ash and
 brushy woods.
 Note - a post to the E. about same distance, no
 bearing trees taken

- North Between Sec. 32 & 33, T1N R5E.
 25.00 a run 10 lks. wide N 80 W at foot of the knob
 26.10 a Do 10 lks. " N.E.
 27.30 a Do 10 " " N.W.
 27.67 a Sycamore 30 in. dia.
 34.30 a run 10 lks. wide Course N.E.
 38.67 a Creek 30 " " " East
 40.00 Let the q. Sec. post, from which
 a Sugar tree 20 in. dia. bears N 75 W 36 lks. dist. of
 a Hickory 8 " " " S 1/2 W 12 " "
 41.00 an Indian trace East
 42.00 to foot of a hill
 80.00 Let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Poplar 6 in. dia. bears N 25 E 1 link. dist. of
 a W. Oak 8 " " " S 84 W 27 lks. "

T1N R5E, 2^d Mer. Indiana

Land high steep & brushy, poor hills,
Sack Oak, Ash &c.

East On Rand^m between Sec^s. 28 & 33, T1N, R5E.

4.20 a run 6 lks. wide Course S.E.

15.00 a do 10 lks. " " S.

40.00 Set temp^y. q^y. Sec. post

45.00 a run 5 lks. wide Course S.

56.20 a do 25 lks. " " South

79.64 Intersected the N & S. line 124 lks. S. of post
Thin hilly brushy land unfit for cultivation

West Corrected between Sec^s. 28 & 33, T1N, R5E.

39.82 Set q^y. Sec. post at average dist. from which
a B. Oak 8 in. dia. bears N 4 E 20 lks. dist. of
a W. Oak 3 " " " S 1 E 9 " "

79.64 to Sec. Corner

North Between Sec^s. 28 & 29, T1N, R5E.

21.70 a Run 4 lks. wide Course S.E.

27.40 a Poplar 12 in. dia.

39.30 a Run 35 lks. wide Course W.

40.00 Set the q^y. Sec. post. from which

a B. Oak 6 in. dia. bears N 44 W 24 lks. dist. of

a do 6 " " " S 38 E 25 " "

50.00 To top of the knobs

56.70 a W. Oak 50 in. dia.

68.90 a Drain 4 lks. wide Course W. foot of the knobs

80.00 Set a post Cor. to Sec^s. 20, 21, 28 & 29, from which

a W. Oak 20 in. dia. bears N 49 W 16 lks. dist. of

a do 24 " " " S 52 E 50 " "

Land poor steep hills & tremendous brushy
of chiefly Oak &c.

East On Rand^m between Sec^s. 21 & 28, T1N, R5E.

40.00 Set temp^y. q^y. Sec. post

T1N R5E. 2^d. Mer. Indiana

233

- 68.45 a Drain 4 lks. wide Course N.
 79.10 Intersected the N. & S. line 60 lks. S. of post-
 Sand thin Soil Bridgely & Bushy L. Oak Briars
 vines Hazle &c.

-
- West Corrected between Secs. 20 & 21, T1N R5E.
 39.55 Set q. Sec. post, at average dist. from which
 a Poplar 18 in. dia. bears S 34 E 35 lks. dist. &
 a W. Oak 25 " " " N 13 W 35 " "
 79.10 to Section Corner

-
- North Between Secs. 20 & 21, T1N R5E
 14.00 a Run 4 lks. wide Course N. W.
 23.24 a Beech 20 in. dia.
 31.50 a Drain 3 lks. wide Course W.
 31.00 a Do — " " " N. E.
 31.40 a " — " " " W.
 40.00 Set the q. Sec. post, from which
 a W. Oak 30 in. dia. bears S 30 W 7 lks. dist. &
 a W. Oak 20 " " " S 35 E 37 " "
 57.00 to Mutton fork of Blue river 100 lks. wide Crs. W.
 67.50 a Run 10 lks. wide Course S. W.
 68.00 a Do — " " " S. E.
 68.26 a Beech 20 in. dia.
 69.00 a Run 10 lks. wide Course S. W.
 72.00 a Do — " " " S. E.
 73.00 a " — " " " S. W.
 74.75 a " — " " " S. E.
 75.25 a Do — " " " S. W.
 71.50 a Do — " " " S. E.
 80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which
 a Beech 20 in. dia. bears S 71 W 11 lks. dist. &
 a Do 20 " " " N 75 E 25 " "
 rich level Land Beech Oak Sugar Hickory

-
- West On Random between Secs. 16 & 21, T1N R5E.

T. N. R 5 E, 2nd Mer. Indiana

- 1.00 to Mutton fork of Blue River 100 lks. wide Cor. S. W.
 19.20 a Do " " " " " " " " N. W.
 25.00 a Do " " " " " " " " S. W.
 35.25 a Run 10 lks. wide Course S.
 40.00 Set temp. q. Sec. post
 56.25 a Run 10 lks. wide Course S.
 78.50 Intersected the N. & S. line 23 lks. N. of post
 Land rich level Soil v. rate Beech Birch
 With grape vine & Beech &c.

East Corrected between Sec. 16 & 21, T. N. R 5 E.

- 39.25 Set q. Sec. post at average dist. from which
 a Beech 12 in. dia. bears S 48 E 11 lks. dist. &
 a Do 14 " " " N 19 W 16 " "
 78.50 to Section Corner

North Between Sec. 16 & 17, T. N. R 5 E.

- 10.25 a Poplar - in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 16 in. dia. bears N 26 E 22 lks. dist. &
 a Chestnut 24 " " " S 27 W 22 " "
 44.00 a Branch 8 lks. wide Course S 20 E.
 54.75 a Chestnut 27 in. dia.
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Beech 12 in. dia. bears S 55 E 30 lks. dist. &
 a W. Oak 30 " " " N 19 E 34 " "
 Low ridges, Beech, Poplar & Oak.

East On Land. between Sec. 9 & 16, T. N. R 5 E

- 39.75 a Branch 12 lks. wide Course S.
 40.00 Set temp. q. Sec. post
 64.00 a Drain Course S 60 E.
 79.50 Intersected the N. & S. line 70 lks. S. of post
 Low ridges, Beech, Oak, Poplar & Chestnut

West Corrected between Sec. 9 & 16, T. N. R 5 E.

T1N-R5E. 2nd Mer. Indiana

39.75 Set of Sec. post at average dist. from which
 a Chestnut 20 in. diam. bran N 57 W 11/2 k. dist. of
 a Beech 10 " " " N 77 E 31 " "
 79.50 to Sec. Corner. Jan. 7th 1807

North Between Sec. 8 & 9, T1N, R5E.

29.00 a Hickory 30 in. diam.
 40.00 Set the of Sec. post, from which
 a B. Oak 12 in. diam. bran N 61 W 17 k. dist. of
 a W. Oak 6 " " " S 45 E 17 " "
 50.40 a Beech 18 " "
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Chestnut 80 in. diam. bran S 41 E 13 k. dist. of
 a Poplar 60 " " " N 53 W 56 " "
 Land rich & rolling, timber large Poplar, Chestnut
 Hickory, Beech, Oak &c. underg. brush & briars

East On Rand. between Sec. 4 & 9, T1N, R5E.

13.70 a Drain Course S.E.
 19.50 a Do " N.E.
 40.00 Set temp. of Sec. post
 40.90 a Drain 4 k. wide Cr. S.E.
 45.00 a Drain 4 " " " South
 77.95 Intersected the N & S. line 255 k. S. of post
 Land timber &c. much the same as last mile

West Connected between Sec. 4 & 9, T1N, R5E.

38.97 1/2 Set of Sec. post, at average dist. from which
 a B. Oak 16 in. diam. bran S 87 W 17 k. dist. of
 a Gum 16 " " " S 87 E 46 " "
 77.95 to Sec. Corner.

North Between Sec. 4 & 5, T1N, R5E.

10.95 a Gum 20 in. diam.
 21.50 a Drain 5 k. wide Course E.
 40.00 Set the of Sec. post, from which

T. N. R5 E. 2^d. Mer. Indiana

a Beech 12 in. diam. bran N 83^o W 45^o lks. dist. of
 a Gum 11 " " " N 62^o E 32 " "
 58.46 a Poplar 36 " "
 80.70 Intersected the N. boundary 11.00 lks. E. of post
 at a post Cor. to Sec. 4 & 5, from which
 a Poplar 6 in. diam. bran N 4¹/₂ E 7 lks. dist. of
 a B. Walnut 6 " " " N 37^o W 55 " "
 Land much as the last - last 1/2 mile a brushy
 thicket, Pines &c.

North Between Sec. 31 & 32, T. N. R5 E.

22.50 a Poplar & B. Oak
 38.62 a Drain Course East
 40.00 at the q. Sec. post, from which
 a W. Oak 10 in. diam. bran - 82¹/₂ E 25 lks. dist. of
 a Poplar 12 " " " N 87^o W 13 " "
 54.12 a B. Oak 23 " "
 80.00 at a post Cor. to Sec. 29, 30, 31 & 32, from which
 a W. Oak 17 in. diam. bran N 36¹/₂ W 18 lks. dist. of
 a Gum 16 " " " N 33 E 20 " "
 Land level timber Oak & Hickory

East On Rand^m. between Sec. 29 & 32, T. N. R5 E.

22.50 at Branch 20 lks. wide Course N 30 E.
 40.00 at temp. q. Sec. post
 60.00 at Branch 10 lks. wide Course S.
 79.70 Intersected the N & S. line 38 lks. S. of post
 Ridges and deep hollows, Oak & Hickory

West Cor. between Sec. 29 & 32, T. N. R5 E.

39.85 at q. Sec. post at average dist. from which
 a W. Oak 15 in. diam. bran N 4¹/₂ W 11 lks. dist. of
 a Elm 18 " " " N 85^o W 29 " "
 79.70 to Sec. Corner

West Between Sec. 30 & 31, T. N. R5 E.

T. N. R5 E. 2^d. Mer. Indiana

237

- 16.00 a Drain Course N.
 33.12 a W. Oak 23 mi. diam.
 40.00 Let the q. Sec. post, from which
 a W. Oak 8 mi. diam. bran S 85° W 4 mi. dist. of
 a Do 10 " " " S 72° E 7 " "
 69.12 a W. Oak 21 " "
 79.82 a Drain Course S 60° W
 80.50 Intersected the N. boundary 19 mi. N. of post
 Let a post Cor. to Sec. 29 & 30, from which
 a Chestnut 18 mi. diam. bran S 78° E 37 mi. dist. of
 a W. Oak 10 " " " S 62° E 34 " "
 Low ridges timber Oak & Hickory & Poplar

North Between Sec. 29 & 30, T. N. R5 E.

- 19.00 a trace E & W
 19.85 a W. Oak 26 mi. diam.
 40.00 Let the q. Sec. post, from which
 a W. Oak 20 mi. diam. bran S 67° E 19 mi. dist. of
 a Do 14 " " " S 78° W 44 " "
 43.00 a W. Oak 30 " "
 80.00 Let a post at foot of the knob, Cor. 19, 20, 29 & 30, from which
 a Beech 14 mi. diam. bran S 38° E 37 mi. dist. of
 a Do 16 " " " S 25° W 21 " "
 Sand thin soil last 1/2 ridges W. Oak, &c.

West On Rand. between Sec. 20 & 29, T. N. R5 E.

- 9.50 a Drain Course N. W.
 40.00 Let the q. Sec. post
 57.00 a run 8 mi. wide Course W
 78.50 Intersected the N. & S. line at the post
 Land good soil, timber Oak &c.

East Corrected between Sec. 20 & 29, T. N. R5 E.

- 39.25 Let q. Sec. post at average dist. from which
 a W. Oak 26 mi. diam. bran S 55° E 25 mi. dist. of
 a Beech 14 " " " S 61° W 22 " "

T. 1 N. R. 5 E. 2^d. Mer. Indiana

78.50 to the Section Corner.

West Between Sec. 30 & 19, T. 1 N. R. 5 E.

24.70 a Gum 20 in. dia.

40.00 Set the q. Sec. post in Slushy bottom, from which
a Maple 16 in. dia. bears S 84 E 45 lbs. dist. of
an Ash 24 " " " N 82 W 17 " "

56.00 to Mutton fork of Blue River 100 lbs. wide S. W.

61.82 a Sugar tree 14 in. dia.

72.95 Intersected the N. boundary 90 lbs. S. of post
Set a post Cor. to Sec. 19 & 30, from which
a Beech 14 in. dia. bears N 42 E 14 lbs. dist. of
a Do 14 " " " S 62 E 55 " "
1st part of this mile hilly; last bottom, very brushy
first timber Beech &c. undergth Beech, Spruce &c.

North Between Sec. 19 & 20, T. 1 N. R. 5 E.

17.00 a Branch 20 lbs. wide Course W.

20.00 a Beech 20 in. dia.

34.20 a Creek 150 lbs. wide Course W.

40.00 Set the q. Sec. post, from which
a Sugar 12 in. dia. bears N 61 E 17 lbs. dist. of
a Walnut 12 " " " S 76 W 19 " "

58.75 a W. Oak 24 " "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a W. Oak 16 in. dia. bears N 32 W 24 lbs. dist. of
a Do 16 " " " S 67 E 34 " "
Bottom of upland Beech Poplar & Oak

East On Random between Sec. 17 & 20, T. 1 N. R. 5 E.

16.50 a Branch 10 lbs. wide Course S.

40.00 Set temp^y q. Sec. post

45.50 a drain — lbs. wide Course S.

74.25 a Do 10 " " " S.

79.40 Intersected the N & S. line at the post
Low bridges Beech & Poplar some Oak

S1 N. R 5 E. 2nd Mer. Indiana

West Corrected between Sec. 17 & 20, S1 N. R 5 E.
 39.70 Set q. Sec. post at average dist. from which
 a Beech 15 in. dia. bears N 33 E 16 lks. dist. &
 a Do 20 " " " S 12 E 30 " "
 79.40 to Section Corner

West Between Sec. 18 & 19, S1 N. R 5 E.
 27.00 a Beech 16 in. dia.
 40.00 Set the q. Sec. post, from which
 a Gum 13 in dia. bears S 12 E 22 lks. dist. &
 a W. Oak 12 " " " N 21 W 30 " "
 47.00 a W. Oak 23 " "
 55.00 a Branch 25 lks. wide Course S. 40 W.
 82.62 Intersected the W. boundary 58 lks. N. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Hickory 15 in. dia. bears N 2 W 33 lks. dist. &
 a Gum 13 " " " N 43 E 37 " "
 Bridges Brushy good Wheat Land Oak, Beech
 Hickory & Poplar -

North Between Sec. 17 & 18, S1 N. R 5 E.
 17.00 a Gum 20 in. dia.
 20.50 a Drain — Course W.
 40.00 Set the q. Sec. post, from which
 a Hickory 7 in. dia. bears S 51 W 17 lks. dist. &
 a Do 10 " " " N 73 E 20 " "
 53.00 a Run 6 lks. wide Course S. W.
 55.60 a Beech 20 in. dia.
 65.60 a Run 12 lks. wide Course S. W.
 80.00 Set a post Cor. To Sec. 7, 8, 17 & 18, from which
 a Gum 16 in. dia. bears S 88 W 24 lks. dist. &
 a Beech 28 " " " S 69 E 34 " "
 Land rich Soil Bridges timber Oak, Poplar Beech
 Hick. Brushy underg. Beech dogwood

East On Random between Sec. 8 & 17, S1 N. R 5 E.

T. 1 N. R. 5 E. 2^d. Mer. Indiana

- 11.56 a Run 12 lks. wide Course S.
 40.00 Set temp^y. q^t. Sec. post
 56.50 a Drain 4 lks. wide Course S.
 78.57 Intersected the N. & S. line 22 lks. N. of post
 Land Bridges timber Chest. Beech & Bruskey &c.

- West Corrected between Sec^s. 8 & 17, T. 1 N. R. 5 E.
 39.28 Set q^t. Sec. post, at average dist. from which
 a Beech 24 in. dia^r. bears N 49 E 6 lks. dist. &
 a Maple 20 " " " S 48 W 47 " "
 78.57 to Section Corner

- West Between Sec^s. 7 & 18, T. 1 N. R. 5 E.
 16.46 a W. Oak 50 in. dia^r.
 21.00 a Run 10 lks. wide Course S.
 40.00 Set the q^t. Sec. post, from which
 a W. Oak 12 in. dia^r. bears S 44 E 27 lks. dist.
 a Poplar — " " " N 13 W 22 " "
 53.50 a Drain 3 lks. wide Course S.
 58.66 a B. Oak 24 in. dia^r.
 76.61 Intersected the W. boundary 36 lks. N. of post
 Set a post Corner to Sec^s. 7 & 18. from which
 a Gum 18 in. dia^r. bears N 45 E 29 lks. dist. &
 a Beech 24 " " " S 21 E 37 " "
 Land & timber as on the last Mile —

- North Between Sec^s. 7 & 8. T. 1 N. R. 5 E.
 3.75 a Poplar 36 in. dia^r.
 40.00 Set the q^t. Sec. post, from which
 a Hickory 8 in. dia^r. bears N 76 W 11 lks. dist. &
 a Beech 4 " " " S 48 E 34 " "
 51.75 a Hick^y. 36 " "
 80.00 Set to post Cor. to Sec^s. 5, 6, & 7 & 8. from which
 a B. Oak 24 in. dia^r. bears N. 80 W 16 lks. dist. &
 an Ash 12 " " " S 60 E 16 " "
 Land rich Soil timber Oak, Beech Poplar

241

T. A. R. 5 E. 2^d. Mer. Indiana

Hickory Chest. Brueky breary & grape vines &c.

West On Random between Sec. 548, & 1 N. R. 5 E.
 29.50 a Branch 6 lks. wide Course S.
 40.00 Set temp. y. q. Sec. post
 78.25 Intersected the N. & S. line 90 lks. S. of post
 Low Ridges Beech Poplar Oak, & Chasnut.

East Corrected between Sec. 548, & 1 N. R. 5 E.
 39.12 1/2 Set q. Sec. post at average dist. from which
 a Gum 16 in. dia. bears N 15 7/20 lks. dist. &
 a Do 14 " " " S 76 E 10 " "
 78.25 to Section Corner

West Between Sec. 647, & 1 N. R. 5 E.
 40.00 Set the q. Sec. post. from which
 a Maple 14 in. dia. bears N 30 E 21 lks. dist. &
 a Beech 16 " " " S 77 E 25 " "
 76.25 a line running N & S.
 85.00 Intersected the W. boundary 1.38 lks. N. of post -
 Set a post Cor. to Sec. 647, from which
 a Gum 18 in. dia. bears N 44 E 12 lks. dist. &
 a Dogw. 6 " " " S 33 W 13 " "
 Beech Poplar Walnut Ash & Oak - low Ridges -

North Between Sec. 546, & 1 N. R. 5 E.
 19.88 a Poplar 36 in. dia.
 40.00 Set the q. Sec. post. from which
 a Beech 8 in. dia. bears S 36 W 20 lks. dist. &
 a Hick 7.25 " " " S 64 E 39 " "
 46.75 a Branch 8 lks. wide Course W.
 50.00 a Beech 22 in. dia.
 79.88 Intersected the N. boundary 12.33 lks. E. of post
 Set a post Cor. to Sec. 546, from which
 a Beech 20 in. dia. bears N 36 W 15 lks. dist. &
 a Do 9 " " " S 34 E 33 " "

No 2

T. T. N. E. T. Mer. Indiana

Low Ridges Rich Sand Beech Poplar Ash
4 Oak 4 Spice Brush &c.

Surveyed by Joseph H. Sawill and Jacob
Fowler, Deputy Surveyors

Comp.

I certify, that the foregoing transcript of field notes of Township
N. 1 North, of Range N. 5 East T. Mer. Indiana, has been
Compared with the original notes, in this office and found to
be Correct.

Surveyor General's Office
Cincinnati, Sept. 25. 1844

W. P. Haines
Sur. Genl.